

ROTOWRAP C

ROTOWRAP CS

**Semi-Automatic Overhead
Stretch Wrapping Machines**



ROBOPAC 

overview



The Rotowrap CS and Rotowrap C feature an S Winding Pattern Roll Carriage with Quick Load System that provides 40% more film contact than the W Winding pattern (commonly used by competitors) while providing better control of film through the roll carriage and fewer film breaks.

Our Variable Pre-Stretch delivers the best film economy for all films and all loads. Four selectable wrap patterns allow you to optimize each of your load types, reduce damage, improve productivity and reduce film costs.

Both models are CE Compliant (strictest safety and electrical standards). Our roll carriage safety stop protects objects and people beneath roll carriage. The roll carriage is located on operator side of mast to keep the operator out of the wrapping area.

Ability to adjust all wrapping parameters to meet the specific needs of each load: pre-stretch; containment force; top & bottom wraps; turntable speed; overlap; overwrap.


sealing unit



Cut and Swipe System (CS Only)

Rotowrap CS features a cut and swipe system that automatically secures the film tail to the load. This process keeps the operator on the fork truck, saving time and money.

control panel



Intuitive User Interface

New color touch screen panel with intuitive software delivers improved wrapping control while simplifying machine operation.

Six wrapping menus allow you to easily select the best wrapping pattern for your loads and consistently repeat the pattern time after time.

Software is extremely flexible and allows you to determine how much or how little your operators can customize wrap patterns.

roll carriage




Power Dual Pre-Stretch Roll Carriage

The Power Dual Pre-Stretch Roll Carriage System (PDS) delivers 250% pre-stretch using fixed gears. You can easily switch to variable pre-stretch by activating the Double Stretch "S" button on the operator panel. The containment force is also adjustable from the operator control panel. Robopac's patented high-performance S-Wrap Pattern (with Quick Load System) and load cell compensation and containment force device give you total film control.

- 20" carriage standard
- 30" carriage optional

specifications

	Rotowrap C	Rotowrap CS*
Performance		
Production Speed	Up to 35 LPH	Up to 40 LPH
Wrap Arm Speed	12 RPM	12 RPM
Rotary Arm Drive	1 HP VAC	1 HP VAC
Automation Device		
Film Tail Treatment	N/A	Cut and Swipe
Remote Control	Standard	Standard
Pull Cord/Lanyard Start System	Standard	Standard
Load Handling		
Wrap Arm Zone	126.3"	126.3"
Maximum Load Height	80"	80"
Maximum Load Size	48"x48"	48"x48"
Maximum Load Weight	Unlimited	Unlimited
Film Delivery System		
Film Delivery System	Power Dual Stretch	Power Dual Stretch
Standard Pre-Stretch	Variable 0% to 250%	Variable 0% to 250%
Wrapping Force	Load Cell	Load Cell
Standard Film Width	20"	20"
Automatic Film Cut	Option	N/A
Film Cut & Clamp System	N/A	Cut & Swipe standard (Cut & Weld available option)
Safety Features		
Safety Bumper with dual circuits	Standard	Standard
CE Compliant	Yes	Yes
Machine Shipping Weight		
Approximate Weight	2,280 lbs	2,400 lbs
Approximate Dimensions	136" L x 44" W x 45" H	136" L x 44" W x 45" H
Service Requirements		
Electric + Air	110V 1phase (only)	110V 1phase + 90psi
NEMA 12 Enclosure	Standard	Standard
Warranty	3 Years	3 Years



ROBOPAC

Robopac is the global leader in the stretch wrapping industry. Our line of semi-automatic and automatic stretch wrapping equipment combines technology, innovation and experience into products that deliver results you can depend on.

Robopac is ISO 9001:2008 certified and all our equipment meets the strictest global safety standards, including CE.

In 2008, Robopac hired Porsche Lean Consulting to help us implement their lean manufacturing process in our factory. This process allows us to build our equipment faster, better, for less.



Aetna Group holds over 100 patents and our commitment to innovation is the heart of our organization. With over 80 employees dedicated to Research & Development and a \$7.6-million investment in R&D in 2011, we are committed to maintaining our position as the global leader in secondary packaging.

Aetna Group has more than 120,000 machines installed around the world and currently produces 6,700 machines annually, more than twice that of our nearest competitor.

Our four product lines: Robopac, Robopac Sistemi, Dimac and Prasmatic offer complete lines of innovative stretch wrapping systems, bundlers, shrink wrappers, cartoning systems and tape machines through a global network of over 400 agents and distributors. We also employ over 80 technical service engineers ready to provide prompt and courteous support, whenever and wherever you need it.

AETNA GROUP U.S.A. Inc.

2475B Satellite Blvd. - Duluth - GA 30096-5805 - USA
tel: (+1) 678 473 7896 - toll free (866) 713 7286
fax: (+1) 678 473 1025
e-mail: aetnagroup@aetnagroupusa.com

ROBOPAC S.P.A.

Via Fabrizio da Montebello, 81
47892 Acquaviva Gualdicciolo - Repubblica di San Marino
tel: + 378 0549. 910. 511
fax: + 378 0549. 908. 549 / 905. 946
e-mail: robopac@aetnagroup.com

AETNA GROUP S.P.A. - ROBOPAC SISTEMI

S.P. Marecchia, 59 - 47826 Villa Verucchio - Rimini
tel: (+39) 0541 673411
fax: (+39) 0541 679576
e-mail: robopacsistemi@aetnagroup.com

AETNA GROUP S.P.A. - DIMAC

Via Rinascita, 25 - 40064 Ozzano Emilia - Bologna
tel: (+39) 051 791611
fax: (+39) 051 6511013
e-mail: dimac@aetnagroup.com

PRASMATIC S.R.L.

Via J. Barozzi, 8 - Z.I. Corallo - 40050 Monteveglio - Bologna
tel: (+39) 051 960302
fax: (+39) 051 960579
e-mail: info@prasmatic.com

AETNA GROUP UK LTD

Packaging Heights
Highfield Parc- Oakley- Bedford MK43 7TA - England
tel: (+44) 0 1234 825050
fax: (+44) 0 1234 827070
e-mail: sales@aetna.co.uk

AETNA GROUP FRANCE S.a.r.l.

4, Avenue de l'Europe - 69150 Décines - France
tel: (+33) 04 72 14 54 01
fax: (+33) 04 72 14 54 19
e-mail: commercial@aetnafr.aetnagroup.com

AETNA GROUP DEUTSCHLAND GmbH.

Liebigstr. 6 - 71229 Leonberg - Höfingen - Germany
tel: (+49) 0 7152 33 111 30
fax: (+49) 0 7152 33 111 40
e-mail: info@aetna-deutschland.de

AETNA GROUP VOSTOK OOO

129329 Moscow - Otravnaya str. 2B - building 6 office 224
tel: (+7) 495 6443355
fax: (+7) 495 6443356
e-mail: info@aetnagroupvostok.ru

AETNA GROUP SHANGHAI

Shanghai Jin Shan Industrial Park
Jin Liu Road No 877 - 201506
tel: +86 (0) 21 67290111
fax: +86 (0) 21 67290333
e-mail: infochina@aetnagroup.com

www.aetnagroupusa.com

